



1968 - 2017

We have been manufacturing plastic products for nearly 50 years and today we want to do more..

Plastic..a word that commonly refers just to the material itself, has a thousand and more meanings to us.

Plastic things can be given shape and never change it: just like our plastic, floating in the empty space and never losing a bit of its strength and shape.

We want our products to look like this to you today: in their purest expression of form - not only for what they are used for, but for what they are: not just plastic.

We hope we have managed to do that!

CLEAR AND DETERMINATE GOALS

THREE is the common denominator of EPOCA's philosophy today,

THREE because three are the sisters leading the company

THREE because three are the core areas of business, **THREE** like the three generations wecare aiming at in

the process of a generational relay,

THREE because three are the aspects that we treat with the utmost care: Customers, Products and Environment.

Why did we specialize?

To offer an Italian designed product, a manufacture Made in Italy, quality control and efficient logistics, assets, a family, a working group who faces daily challenges to meet your needs.

Why are we innovative?

We want to offer a complete range of dynamic products, with the goal to constantly present novelties. Our aim is to allow you to renew your offer for your customers. **EPOCA** has been thoroughly selecting for years to reinvest company profits - and innovation and research are the most important sources for this choice.

Why are we attractive and efficient?

For the care and attention that we put into every communication detail, from labels to instruction sheets, from packaging to advertising brochures that appear in specialized magazines in Italy and abroad.

We are efficient in communication on the internet, media and social network too, and we take part, along with our distributors' network, to several international trade fairs and other events of geo-local marketing.

Why are we reliable?

For our attention with respect to deliveries, and the strict checking adopted by our Quality Control System. In addition, we assure you to supply the products you've invested in with optimal performance standards — and in no time.

Why are we solid?

To ensure you a feeling of solidity, and not just an image. Our increase in business volume and our growing presence into new markets, as well as consolidation of **EPOCA**'s historical markets, are the result of a conscious selection and of a strong will of growth in Italy. The reverse of tendency is definitely a difficult decision, but it's one choice we continue to believe in.

Why are we sustainable?

To offer hope to the environment and the opportunity for you to raise awareness among your customers in taking care, through daily activities, of a planet that we are ethically obliged to leave healthy to our children.

Today 30% of our products are made of regenerated plastics, but in 2010 we were the first to build a market-leading line of items (Ecolove) with recycled plastic -and we have no intention to change direction.

we have no intention to change direction.
The choice of using recycled materials for our cardboard recyclable packaging, and to print our catalogues on FSC certified paper, has led us to the remarkable result of using more than 60% of recycled cartons, which are, of course, 100% recyclable.

Why do we stand in solidarity?

To give hope to those who really need help support programs that promote health, human rights and education for adults and children (Doctors without Borders, the League of Golden Thread, AIRC, UNICEF and others). But the roots of solidarity within the company lie in the family members, who, all together, find the energy and the ability to solve problems, passing on to the employees a sense of belonging, source of tireless daily work. The sense of belonging which characterizes every member of Epoca is the engine of our success.



HEAVY DUTY

Heavy duty line includes sturdy and efficient hand sprayers, pressure sprayers (from 1 up to 10 litres) and a Knapsack sprayer.

HAND SPRAYERS

Hand sprayers are composed by professional trigger sprayers and transparent bottles.

Hand sprayers have adjustable nozzle and silk-screen printed graduated scale or embossed graduated scale.

Customization with silk-screen printing or private label is also available.

PRESSURE SPRAYERS

Pressure sprayers up to 2 litres capacity are fitted with a polypropylene head with plastic or metal pumping rod and one version is with a fully Polyamide (PA) head. Their nozzle is adjustable from fine mist to straight jet (that goes up to 7 m maximum length) while tanks are made of a special chemical-resistant material. Some of the pressure sprayers are also fitted with a safety valve for automatic and manual depressurization at 3 bar while others have a patented device that blocks the lever in a continuous spray position.

As for the hand sprayers, pressure sprayers have a transparent tank and can be customizable with silk-screen printing or with private label.

The **5**, **7** and **10** litres sprayers have sturdy tank made of chemical-resistant plastic material and a strong plastic pumping rod. Tanks are in transparent colour and they have an **embossed graduated scale** to monitor easily the level of the content of the tank. They are fitted with a **3 bar safety valve** and a wide funnel opening for easy filling. Spray lance has an adjustable nozzle and a comfortable handle that allows to get the maximum jet with a minimum effort. Many different types of lances and nozzles are available as accessories. These sprayers can be customized with private label and customized box.









KNAPSACK SPRAYER

Knapsack sprayer is made of transparent plastic material that allows to check easily its content. It is equipped with a contoured container, shaped to comfortably fit the operators' back, and padded adjustable straps. Thanks to a 1100 ml pumping system capacity - one of the biggest in the market - TEC 16 is ideal for spraying on large areas, with less effort than ever before: Epoca's patented Automatic Decompression System allows the lever to be light during the whole process of application. It can be settled both for right-handed and for left-handed and the anatomic structure of the lever is designed to facilitate user's operation. Moreover a wide range of different accessories such as lances, lance extensions cone shield, and special nozzles

HEAVY DUTY

Heavy Duty line pressure sprayers are fitted with NBR (nitrile rubber), EPDM (Ethylene-Propylene-Diene) and VITON (fluorocarbon rubber) seals. NBR seals are specific for water based and non-aggressive products while EPDM and VITON seals ensure higher compatibility with many chemical solutions.

NBR sprayers are mainly used to spray disinfectants and for sanitization purposes; as for building, they can be

employed to moisten surfaces during special processes.

In agriculture, they are widely used with phytosanitary products, herbicide, and for pest control operation.

Products with EPDM seals are widely used in the car-care and they are an indispensable item for the car wash. They can be used with professional detergents, liquid wax, window cleaners, and other chemicals such as engine cleaners, while those in VITON can be used in accurate cleaning operations with disinfectant and/or degreaser products, or in metal-cleaning operations. They may be also used for disinfection with chemical germicides.

TEC FOAMER

Heavy duty line includes **TEC Foamers** range that is composed by professional foamer sprayers. These particular pressure sprayers feature a powerful 110° degrees foam nozzle that makes them perfect in any cleaning situation where foam is necessary to loosen stubborn dirt effortlessly. Foamer sprayers are available in 1, 2 and 10 litres capacity and whether in VITON (Fluorinated Hydrocarbon) or

EPDM (Ethylene-Propylene-Diene) seals.

While the 1 and 2 Litres versions are meant to be used in small to medium size areas, 10 litres pumps are equipped with a robust nozzle, and they can be used on vast areas – such as to clean glass walls, truck trailers or to wash cars.

NBR

Gaskets in nitrile rubber. Ideal with aliphatic hydrocarbons (fuels like gasoline and diesel), mineral oils, diluted acids, alkalis and salt solutions.

EPDM

Gaskets in Ethylene-Propylene-Diene. Ideal with glycol-based hydraulic fluids and organic and inorganic acids, detergents, solutions of sodium and potassium, oxygenated solvents (ketones and esters), and atmospheric agents.

VITON

Gaskets in Fluorinated Hydrocarbon. Ideal with oils and mineral fats silicone based, animal and vegetable oils, aliphatic hydrocarbons, aromatic hydrocarbons, very good resistance to weather, ozone, oxygen and sunlight.



Epoca recommends testing a sample of the product in question (including its seals) with your chemical compositions.





EPOCF sprayers since 196

EP01 + MAXI T



TECHNICAL SPECIFICATIONS

Total capacity ml 1035 Output ml 2,2 Nozzle adjustable Packing bulk

PLUS

- bottle with printed graduated scale in % and in ml

							***	вох			RO PALLET
CODE	GASKET	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7646.P31	NBR	with label	white-red	natural clear	8003916 110438	18	37,5 x 29,0 x 46,0	2,67	0,050	38	684
7486.P31	NBR	anonymous	white-red	natural clear		18	37,5 x 29,0 x 46,0	2,67	0,050	38	684
7647.P01	EPDM	with label	white-black	natural clear	8003916 110445	18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
7687.P01	EPDM	anonymous	white-black	natural clear		18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
7648.P01	VITON	with label	white-blue	natural clear	8003916 110452	18	37,5 x 29,0 x 46,0	2,70	0,050	38	684
7488.P01	VITON	anonymous	white-blue	natural clear		18	37,5 x 29,0 x 46,0	2,70	0,050	38	684

EP02 + MAXI T



TECHNICAL SPECIFICATIONS

Total capacity ml 520
Output ml 2,2
Nozzle adjustable
Packing bulk

EURO PALLET GASKET VERSION SPRAY COLOUR BOTTLE COLOUR EAN CODE DIMENSIONS (cm) WEIGHT (Kg) VOLUME (m3) PCS/PLT 7640.P31 NBR with label 8003916 110469 37,5 x 29,0 x 46,0 0,050 1520 7480.P31 anonymous white-red 37,5 x 29,0 x 46,0 0,050 38 1520 white-black natural clear 8003916 110476 37,5 x 29,0 x 46,0 EPDM 37,5 x 29,0 x 46,0 4,06 0,050 38 1520 anonymous white-black natural clear 7642.P01 natural clear 8003916 110483 0,050 1520 with label white-blue 37,5 x 29,0 x 46,0 7482.P01 VITON white-blue natural clear 40 37,5 x 29,0 x 46,0 4,06 0,050 38 1520 anonymous

EP10 + MAXIT



TECHNICAL SPECIFICATIONS

Total capacity ml 630
Output ml 2,2
Nozzle adjustable
Packing bulk

PLUS

- bottle with embossed graduated scale in ml and dilution scale in %

							***	вох		EUI	RO PALLET
CODE	GASKET	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7643.P31	NBR	with label	white-red	natural clear	8003916 110490	32	37,5 x 29,0 x 46,0	3,59	0,050	38	1216
7483.P31	NBR	anonymous	white-red	natural clear		32	37,5 x 29,0 x 46,0	3,59	0,050	38	1216
7644.P01	EPDM	with label	white-black	natural clear	8003916 110506	32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
7484.P01	EPDM	anonymous	white-black	natural clear		32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
7645.P01	VITON	with label	white-blue	natural clear	8003916 110513	32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216
7485.P01	VITON	anonymous	white-blue	natural clear		32	37,5 x 29,0 x 46,0	3,65	0,050	38	1216

EP10 + VELA



TECHNICAL SPECIFICATIONS

Total capacity ml 630
Output ml 1,3
Nozzle adjustable
Packing bulk

PLUS

- bottle with embossed graduated scale in ml and dilution scale in %

						***	вох		EURO PALLET	
CODE	VERSION	SPRAY COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7604.P01	with label	white-blue	natural clear	8003916100125	32	37,5 x 29,0 x 46,0	3,46	0,050	38	1216
7457.P01	anonymous	white-blue	natural clear		32	37,5 x 29,0 x 46,0	3,46	0,050	38	1216

TEC ONE 1000



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1000 Nozzle adjustable Safety valve yes Max pressure bar PP Pumping rod Packing

PLUS

- head structure in resistant polypropylene (PP)
 automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to
- opening the container)
- equipped with a protection cap that protects the non-return valve from direct liquid contact prolonging its lifetime

								вох		₩ EUF	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7675.R001	EPDM	with label	gray-black	natural clear	8003916060900	11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
7454.R001	EPDM	anonymous	gray-black	natural clear		11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
7672.R001	VITON	with label	black-blue	natural clear	8003916060894	11	39,0 x 30,0 x 46,3	5,13	0,054	38	418
7462.R001	VITON	anonymous	black-blue	natural clear		11	39,0 x 30,0 x 46,3	5,13	0,054	38	418

TEC ONE 1000 PA



TECHNICAL SPECIFICATIONS

Total capacity ml 1310 Operating capacity ml 1000 Nozzle adjustable Safety valve yes Max pressure bar PP Pumping rod Packing bulk

- head structure in resistant nylon (PA)
- automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to
- opening the container)
- equipped with a protection cap that protects the non-return valve from direct liquid contact prolonging its lifetime

							*	вох		EURO PALLET		
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT	
7676.R001	VITON	with label	black-blue	natural clear	8003916060962	11	39,0 x 30,0 x 46,3	5,69	0,054	38	418	
7463.R001	VITON	anonymous	black-blue	natural clear		11	39,0 x 30,0 x 46,3	5,69	0,054	38	418	

EP TEC 1000



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1000 adjustable Nozzle PP Pumping rod Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position

							*	вох		₩ EUI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7433.R011	NBR	with label	red-white	natural clear	8003916060511	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
7443.R011	NBR	anonymous	red-white	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
7665.R001	EPDM	with label	gray-black	natural clear	8003916060535	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
7435.R001	EPDM	anonymous	gray-black	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
7664.R001	VITON	with label	blue-white	natural clear	8003916060528	11	39,0 x 30,0 x 46,3	4,79	0,054	38	418
7434.R001	VITON	anonymous	blue-white	natural clear		11	39,0 x 30,0 x 46,3	4,79	0,054	38	418

DELTA TEC 1



TECHNICAL SPECIFICATIONS

Total capacity ml 1260 Operating capacity ml 1000 Nozzle adjustable Pumping rod PP Packing bulk

- fitted with a patented device that blocks the lever in a continuous spray position

								вох		₩ EUI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7401.R011	NBR	with label	red-white	natural clear	8003916060238	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
7444.R011	NBR	anonymous	red-white	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
7610.R001	EPDM	with label	gray-black	natural clear	8003916060252	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
7404.R001	EPDM	anonymous	gray-black	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
7609.R001	VITON	with label	blue-white	natural clear	8003916060245	12	37,5 x 29,0 x 46,0	5,35	0,050	38	456
7403.R001	VITON	anonymous	blue-white	natural clear		12	37,5 x 29,0 x 46,0	5,35	0,050	38	456

DELTA TEC 2



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1500 Nozzle adjustable PP Pumping rod Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a continuous spray position

								вох		EUF	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7405.R011	NBR	with label	red-white	natural clear	8003916060269	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
7445.R011	NBR	anonymous	red-white	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
7613.R001	EPDM	with label	gray-black	natural clear	8003916060283	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
7408.R001	EPDM	anonymous	gray-black	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
7612.R001	VITON	with label	blue-white	natural clear	8003916060276	12	39,0 x 30,0 x 46,3	5,72	0,054	38	456
7407.R001	VITON	anonymous	blue-white	natural clear		12	39,0 x 30,0 x 46,3	5,72	0,054	38	456

ALFA TEC



TECHNICAL SPECIFICATIONS

Total capacity ml 2000 Operating capacity ml 1800 Nozzle adjustable Pumping rod Packing

- fitted with a patented device that blocks the lever in a continuous spray position

							*	вох		EVI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7409.R011	NBR	with label	red-white	natural clear	8003916060214	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
7446.R011	NBR	anonymous	red-white	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
7616.R001	EPDM	with label	gray-black	natural clear	8003916060221	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
7412.R001	EPDM	anonymous	gray-black	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
7615.R001	VITON	with label	blue-white	natural clear	8003916060177	8	37,5 x 29,0 x 46,0	4,46	0,050	38	304
7411.R001	VITON	anonymous	blue-white	natural clear		8	37,5 x 29,0 x 46,0	4,46	0,050	38	304

EPOCA 2000 PROFESSIONAL



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1800 adjustable Nozzle Pumping rod zinc coated iron Packing bulk

PLUS

- fitted with a patented device that blocks the lever in a

continuous spray position

								вох		EUI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7413.R011	NBR	with label	red-white	natural clear	8003916130085	8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
7447.R011	NBR	anonymous	red-white	natural clear		8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
7618.R001	VITON	with label	blue-white	natural clear	8003916060139	8	37,5 x 29,0 x 46,0	4,90	0,050	38	304
7415.R001	VITON	anonymous	blue-white	natural clear		8	37,5 x 29,0 x 46,0	4,90	0,050	38	304

EPOCA 2000 K PROFESSIONAL



TECHNICAL SPECIFICATIONS

Total capacity ml 2000 Operating capacity ml 1800 Nozzle adjustable Safety valve yes Max pressure bar

zinc coated iron Pumping rod shrink-wrap Packing

- straight rigid Long Spray 08 complete version, extension length cm 25 with brass nozzle

- 3 bar safety release valve

- fitted with a patented device that blocks the lever in a continuous spray position
- brass nozzle

								вох		₩ EUI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7671.R041	VITON	with label	blue-white	natural clear	8003916060672	8	39,0 x 30,0 x 46,3	5,28	0,054	38	304
7461.R041	VITON	anonymous	blue-white	natural clear		8	39,0 x 30,0 x 46,3	5,28	0,054	38	304

ALFA TEC V



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1800 Nozzle adjustable Safety valve Max pressure bar PP Pumping rod Packing bulk

PLUS

- 3 bar release valve

fitted with a patented device that blocks the lever in a continuous spray position

						*	вох		₩ EUI	RO PALLET
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7614.R041	VITON	with label	blue-white-yellow	natural clear	8	37,5 x 29,0 x 46,0	4,49	0,050	38	304
7460.R041	VITON	anonymous	blue-white-yellow	natural clear	8	37,5 x 29,0 x 46,0	4,49	0,050	38	304

PRESSURE SPRAYERS 5-10 LITRES

TEC 5



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 4430 Safety valve Max pressure bar Packing single box

PLUS

- 40,5 cm plastic wand
- adjustable 120 cm shoulder strap
- 1,4 m hose - stability base

						вох				EURO PALLET	
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7421.S001	NBR	with label	red-black	natural clear	8003916130610	1	19,5 x 19,5 x 41,5	1,79	0,016	120	120
7448.S001	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 41,5	1,79	0,016	120	120
7684.S001	EPDM	with label	black	natural clear	8003916060993	1	19,5 x 19,5 x 41,5	1,79	0,016	120	120
7455.S001	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 41,5	1,79	0,016	120	120
7625.S001	VITON	with label	blue-black	natural clear	8003916060108	1	19,5 x 19,5 x 41,5	1,79	0,016	120	120
7466.S001	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 41,5	1,79	0,016	120	120

TEC 7



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 5490 Safety valve yes Max pressure bar Packing single box

PLUS

- 45,5 cm plastic wand adjustable 120 cm shoulder strap
- 1,4 m hose
- stability base

					вох				EURO PALLET		
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7423.S001	NBR	with label	red-black	natural clear	8003916130719	1	19,5 x 19,5 x 46,5	1,93	0,018	105	105
7449.S001	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 46,5	1,93	0,018	105	105
7628.S001	VITON	with label	blue-black	natural clear	8003916060146	1	19,5 x 19,5 x 46,5	1,93	0,018	105	105
7467.S001	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 46,5	1,93	0,018	105	105

TEC 10

7468.S001 VITON anonymous



blue-black

natural clear

TECHNICAL SPECIFICATIONS

Total capacity ml 9880 Operating capacity ml 7900 Safety valve Max pressure bar Packing single box

PLUS

- 45,5 cm plastic wand
- adjustable 120 cm shoulder strap 1,4 m hose

1 19,5 x 19,5 x 56,5 2,16 0,021 88 88

- stability base

					вох				EURO PALLET		
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7425.S001	NBR	with label	red-black	natural clear	8003916130726	1	19,5 x 19,5 x 56,5	2,16	0,021	88	88
7450.S001	NBR	anonymous	red-black	natural clear		1	19,5 x 19,5 x 56,5	2,16	0,021	88	88
7685.S001	EPDM	with label	black	natural clear	8003916061013	1	19,5 x 19,5 x 56,5	2,16	0,021	88	88
7456.S001	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 56,5	2,16	0,021	88	88
7631.S001	VITON	with label	blue-black	natural clear	8003916060153	1	19,5 x 19,5 x 56,5	2,16	0,021	88	88

TEC 16



NEW

TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 14750 Safety valve yes Max pressure bar Packing single box

PLUS

- 54 cm curved plastic wand with flat fan nozzle and adjustable nozzle
- · adjustable 120 cm shoulder straps
- patented automatic decompression system

						вох				
CODE	GASKET	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7437.T001	NBR	black	natural clear	8003916066346	1	44,0 x 15,0 x 60,5	4,10	0,040	48	48

TEC TWO 2000 FOAMER



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 1000 fan effect Nozzle Safety valve Max pressure bar Pumping rod PP Packing bulk

PLUS

- head structure in resistant polypropylene (PP)
 automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to
- opening the container).
- equipped with a foam nozzle lance strong bottle in resistant plastic material fan effect nozzle, angle at 110°

					вох				EURO PALLET		
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7690.R001	EPDM	with label	black-gray	natural clear	8003916061143	8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
7472.R001	EPDM	anonymous	black-gray	natural clear		8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
7688.R001	VITON	with label	black-blue	natural clear	8003916061136	8	38,5 x 29,0 x 49,5	4,63	0,055	32	256
7470.R001	VITON	anonymous	black-blue	natural clear		8	38,5 x 29,0 x 49,5	4,63	0,055	32	256

HEAVY DUTY TEC FOAMERS

TEC ONE 1000 FOAMER



TECHNICAL SPECIFICATIONS

Total capacity ml 1310 700 Operating capacity ml Nozzle fan effect Safety valve Max pressure bar Pumping rod PP Packing bulk

PLUS

- head structure in resistant polypropylene (PP) automatic depressurization at 3 bar. It can also be used manually for releasing the pressure (necessary prior to
- opening the container).
 equipped with a foam nozzle lance strong bottle in resistant plastic material fan effect nozzle, angle at 110°

						вох				EURO PALLET	
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7689.R001	EPDM	with label	black-gray	natural clear	8003916061129	11	39,0 x 30,0 x 46,3	5,30	0,054	38	418
7471.R001	EPDM	anonymous	black-gray	natural clear		11	39,0 x 30,0 x 46,3	5,30	0,054	38	418
7687.R001	VITON	with label	black-blue	natural clear	8003916061037	11	39,0 x 30,0 x 46,3	5,30	0,054	38	418
7469.R001	VITON	anonymous	black-blue	natural clear		11	39,0 x 30,0 x 46,3	5,30	0,054	38	418

TOP TEC 10 FOAMER



TECHNICAL SPECIFICATIONS

Total capacity ml Operating capacity ml 5000 Safety valve Max pressure bar Packing Packing single box

- strong bottle in resistant plastic material adjustable 120 cm shoulder strap
- 1,4 m hose
- equipped with a foam nozzle lance fan effect nozzle, angle at 110° stability base

				вох				EURO PALLET			
CODE	GASKET	VERSION	HEAD COLOUR	BOTTLE COLOUR	EAN CODE	PCS/CTN	DIMENSIONS (cm)	WEIGHT (Kg)	VOLUME (m3)	CTN/PLT	PCS/PLT
7691.S001	EPDM	with label	black	natural clear	8003916061228	1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
7473.S001	EPDM	anonymous	black	natural clear		1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
7692.S001	VITON	with label	blue-black	natural clear	8003916061198	1	19,5 x 19,5 x 56,5	2,30	0,021	88	88
7474.S001	VITON	anonymous	blue-black	natural clear		1	19,5 x 19,5 x 56,5	2,30	0,021	88	88



NOTES



EPOCA SPA LOCALITÀ SAN LAZZARO VIA SANT'ANDREA 24 36061 BASSANO DEL GRAPPA (VI) - ITALY

Tel. +39 0424 88 49 11 - Fax +39 0424 56 72 46 info@epocaspa.com - www.epocaspa.com





